## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## LISTING OF CLAIMS:

- 1. (previously presented) An end face sensor device,
  comprising:
- a linear body (2001), the linear body having a conductive polymer center electrode (2007) with an outer circumference of the center electrode coated with an insulating film made of polymer (2008); and
- a receiving part for receiving information from a subject and outputting the information as another information formed on an end face of the linear body.
- 2. (currently amended) An end face sensor device as claimed in claim 1, characterized in that the receiving part is a light sensor comprises an active portion made of a conductive polymer.
- 3. (currently amended) An end face sensor device as claimed in claim [[2]] 1, characterized in that wherein,

## the receiving part is a light sensor, and

the light sensor is any of a photodiode, a phototransistor, a photo IC, a photo thyristor, a photoconductive

element, a pyroelectric element, a color sensor, a solid-state image sensor, an element for position detection, and a solar battery.

- 4. (withdrawn) An end face sensor device as claimed in claim 1, characterized in that the receiving part is a temperature sensor.
- 5. (withdrawn) An end face sensor device as claimed in claim 1, characterized in that the receiving part is a humidity sensor.
- 6. (withdrawn) An end face sensor device as claimed in claim 1, characterized in that the receiving part is an ultrasonic sensor.
- 7. (withdrawn) An end face sensor device as claimed in claim 1, characterized in that the receiving part is a pressure sensor.
- 8. (withdrawn, currently amended) An end face sensor device as in claim [[1]]  $\underline{3}$ , characterized in that a part or all of the receiving part is formed  $\underline{using}$  of a polymer.

- 9. (withdrawn) An end face sensor device as claimed in claim 8, characterized in that a distal end of one molecule of the polymer of the receiving part is modified by an ion group.
- 10. (withdrawn, currently amended) An end face sensor device as in claim [[1]]  $\underline{3}$ , characterized in that the linear body is a linear element in which a circuit element is formed continuously or intermittently in a longitudinal direction.
- 11. (withdrawn, currently amended) An end face sensor device as in claim [[1]]  $\underline{3}$ , characterized by being a linear element in which a cross section having plural regions for forming a circuit is formed continuously or intermittently in a longitudinal direction.

## 12-26. (canceled)

- 27. (previously presented) An end face sensor device as in claim 1, characterized in that said device has flexibility or bendability along a length of the linear body.
- 28. (withdrawn, currently amended) An end face sensor device as claimed in claim 8, characterized in that the polymer of the receiving part is a conductive polymer coated with a transparent electrode (2006) extending along a full length of the

Docket No. 8075-1010 Appln. No. 10/538,937

linear body, the transparent electrode defining a final exterior surface of the length of the linear body exposed to the atmosphere.

- 29. (currently amended) An end face sensor device as claimed in claim 27, characterized in that the receiving part is a light sensor coated with a transparent electrode (2006) extending along a length of the linear body, the transparent electrode defining a final exterior surface of the length of the linear body exposed to the atmosphere.
- 30. (previously presented) An end face sensor device as claimed in claim 29, characterized in that the light sensor is any of a photodiode, a phototransistor, a photo IC, a photothyristor, a photoconductive element, a pyroelectric element, a color sensor, a solid-state image sensor, an element for position detection, and a solar battery.
- 31. (withdrawn) An end face sensor device as claimed in claim 27, characterized in that the receiving part is a temperature sensor.
- 32. (withdrawn) An end face sensor device as claimed in claim 27, characterized in that the receiving part is a humidity sensor.

Docket No. 8075-1010 Appln. No. 10/538,937

- 33. (withdrawn) An end face sensor device as claimed in claim 27, characterized in that the receiving part is an ultrasonic sensor.
- 34. (withdrawn) An end face sensor device as claimed in claim 27, characterized in that the receiving part is a pressure sensor.
- 35. (withdrawn, currently amended) An end face sensor device as in claim 27, characterized in that a part or all of the receiving part is formed using of a conductive polymer.
- 36. (withdrawn) An end face sensor device as claimed in claim 35, characterized in that one molecule of the polymer is ion modified.
- 37. (withdrawn) An end face sensor device as in claim 27, characterized in that the linear body is a linear element in which a circuit element is formed continuously or intermittently in a longitudinal direction.
- 38. (withdrawn) An end face sensor device as in claim 27, characterized by being a linear element in which a cross section having plural regions for forming a circuit is formed continuously or intermittently in a longitudinal direction.

39. (withdrawn, currently amended) An end face sensor device as recited by claim 1, wherein, emprising:

a linear body (2001), the linear body having a conductive polymer center electrode (2007) with an outer eircumference of the center electrode coated with an insulating film (2008);

a light sensor receiving part for receiving information from a subject and outputting the information as another information formed on an end face of the linear body,

the receiving part <u>is a light sensor</u> comprising an n-type semiconductor layer (2004) formed on the end face of the linear body, with a p-type semiconductor layer (2003) formed on the n-type semiconductor layer, the n-type and p-type layers together forming a pn junction of the light sensor receiving part; and

a transparent electrode (2006) coating the p-type semiconductor layer, the end face of the linear body, and the insulating film, the transparent electrode defining a final exterior surface of a full length of the linear body exposed to the atmosphere.

40-41. (canceled)